


Manual Robotic Tool Changers | Spare parts | VS2

Sous titre

The safety lock that adapts to your projects



Safety first with the VS2 Safety Lock: essential accessory for our SWS and BASE connectors

The VS2 safety locking device is the ideal accessory for our SWS050, 063, 080, 100 and 125 connectors. For sizes SWS160, 200 and 250 the VS2 is included as standard and pre-mounted. This device ensures safe and reliable use of our connectors, providing peace of mind to our users.

Advantages

Benefits

- Simple design and easy to you
- Cost-effective/li>

Related industries

At your service

Need help in selecting the right product ?

Need more information ?

[Contact us](#)

- [PDF](#)

-
- [Technical Info](#)
 - [Drawings](#)
 - [3D](#)

VS2

Operating temperature -30 to +120 °C

Type Spare parts

Protection rating IP40

Contact durability 50000 cycles

Materials Al, anod.

Operating pressure -1 to 8 bar

Electrical Ducts

Notice : The provided technical data are the higher limits recommended in static condition. To obtain the correct dimensioning of the product, it is necessary to hold account of all the applicable dynamic forces, including the inertia of the manipulator, the configuration of the tools and the external forces applied.

No files actually

For more informations

[Contact us](#)

No files actually

For more informations

[Contact us](#)

The manual Tool Changers are designed and manufactured by GRIP Gmbh.

Product Engineering Services is the Distributor of GRIP for the territory of Belgium and France

Applications