
# Manual Robotic Tool Changers | Spare parts | VS2

Sous titre
The safety lock that adapts to your projects



Safety first with the VS2 Safety Lock: essential accessory for our SWS and BASE connectors

The VS2 safety locking device is the ideal accessory for our SWS050, 063, 080, 100 and 125 connectors. For sizes SWS160, 200 and 250 the VS2 is included as standard and pre-mounted. This device ensures safe and reliable use of our connectors, providing peace of mind to our users.

#### **Advantages**

#### **Benefits**

- Simple design and easy to you
- Cost-effective/li>

#### **Related industries**

## At your service

Need help in selecting the right product?

Need more information?

Contact us

PDF

- Technical Info
- <u>Drawings</u>
- <u>3D</u>

#### VS2

Operating temperature -30 to +120 °C

**Type** Spare parts

**Protection rating** IP40

**Contact durability** 50000 cycles

Materials Al, anod.

Operating pressure -1 to 8 bar

**Electrical Ducts** 

**Notice:** The provided technical data are the higher limits recommended in static condition. To obtain the correct dimensioning of the product, it is necessary to hold account of all the applicable dynamic forces, including the inertia of the manipulator, the configuration of the tools and the external forces applied.

#### No files actually

For more informations

### Contact us

# No files actually

For more informations

#### Contact us

The manual Tool Changers are designed and manufactured by GRIP Gmbh.

Product Engineering Services is the Distributor of GRIP for the territory of Belgium and France

# **Applications**